

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/360,472	07/23/1999	RETO STAMM	X-528-US	4229

24309 7590 09/01/2004

XILINX, INC  
ATTN: LEGAL DEPARTMENT  
2100 LOGIC DR  
SAN JOSE, CA 95124

EXAMINER

PHAN, THAI Q

ART UNIT	PAPER NUMBER
----------	--------------

2128

DATE MAILED: 09/01/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

# Office Action Summary

Application No.

09/360,472

Applicant(s)

STAMM ET AL.

Examiner

Thai Q. Phan

Art Unit

2128

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

## Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

## Status

- 1) ☒ Responsive to communication(s) filed on 24 May 2004.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

## Disposition of Claims

- 4) ☒ Claim(s) 1-20 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-7 and 15-20 is/are rejected.
- 7) ☒ Claim(s) 8-14 is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

## Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 25 October 1999 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

## Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

## Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  
Paper No(s)/Mail Date \_\_\_\_\_.
- 4) ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date. \_\_\_\_\_.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: \_\_\_\_\_.

### DETAILED ACTION

This Office Action is in response to applicants' amendment filed on May 24, 2004. Claims 1-20 are pending.

#### ***Claim Rejections - 35 USC § 103***

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. Claims 1-7 and 15-20 are rejected under 35 U.S.C. 103(a) as being obvious over Goslin (US Patent no. 6,120,549) in view of Kim (US patent no. 6,553,531 B1).

3. The applied reference has a common assignee with the instant application.

Based upon the earlier effective U.S. filing date of the reference, it constitutes prior art only under 35 U.S.C. 102(e). This rejection under 35 U.S.C. 103(a) might be overcome

by: (1) a showing under 37 CFR 1.132 that any invention disclosed but not claimed in the reference was derived from the inventor of this application and is thus not an

invention "by another"; (2) a showing of a date of invention for the claimed subject matter of the application which corresponds to subject matter disclosed but not claimed in the reference, prior to the effective U.S. filing date of the reference under 37 CFR

1.131; or (3) an oath or declaration under 37 CFR 1.130 stating that the application and reference are currently owned by the same party and that the inventor named in the application is the prior inventor under 35 U.S.C. 104, together with a terminal disclaimer

in accordance with 37 CFR 1.321(c). For applications filed on or after November 29, 1999, this rejection might also be overcome by showing that the subject matter of the reference and the claimed invention were, at the time the invention was made, owned by the same person or subject to an obligation of assignment to the same person. See MPEP § 706.02(I)(1) and § 706.02(I)(2).

3.1 As per claim 1, Goslin discloses a method and apparatus for designing and verifying an integrated circuit with feature limitations substantially similar to the claimed invention. According to Goslin, the hardware design and verification method includes steps:

parameterizing circuit functional blocks or logic circuit cores to meet user' specific requirement (col. 3, line 17 to col. 5, line 40),

generating a netlist file or RTL model from the set of randomly generated parameter values and device under test or logic cores as claimed for verification of macro functions and logic cores in the design (col. 8, lines 15-60, col. 13, lines 30-49, for example),

and verifying or simulating circuit behavior with the netlist or RTL model as claimed.

Goslin also discloses parameter value spaces and range of parameter values as possible choice for broker (col. 9, lines 20-52). Such parameter values space and range of parameter values above for broker to choose above with no imposed restriction to choose from would imply the parameter values are randomly generated. Further, randomly generating parameter value is well-known in the art. In fact, Kim teaches a

method and system for randomly generating number values for design variables (parameters) by adding a randomness attribute to a variable to produce and assign random value for each random variable (Summary of the Invention, col. 5, lines 42-53, col. 10, line 48 to col. 11, line 44, col. 15, line 55 to col. 16, line 50, for example) to handle the design synthesis, simulation, and optimize the task of design modeling for an efficient circuit implementation as taught in col. 2, lines 3-36, for example.

This would motivate practitioner in the art at the time of the invention was made to modify Goslin disclosure by incorporating randomness attribute to design variable to produce a random variable (parameter) values into the parametric macro functions in Goslin to handle the design synthesis, simulation and optimize the task of design modeling for an efficient circuit implementation.

3.2 As per claim 2, Goslin discloses upper and lower limits associated with random parameter values in a sense of the parameter would take random values because Goslin does not restrict values taken within a specified range as in col. 6, lines 48-62, for example, and generating a new random parameter set for the design to meet design specification (col. 7, line 52 to col. 8, line 10). Kim further teaches randomly generating number values for design variables (parameters) by adding a randomness attribute to a variable to produce and assign random value for each random variable (Summary of the Invention, col. 5, lines 42-53, col. 10, line 48 to col. 11, line 44, col. 15, line 55 to col. 16, line 50, for example) to handle the design synthesis, simulation, and optimize the task of design modeling for an efficient circuit implementation as taught in col. 2, lines 3-36, for example.

3.3 As per claim 3, Goslin discloses weight file or probability function for parameter values generation in order to randomly generating parameter values (col. 9, line 20 to col. 10, line 14).

3.4 As per claim 4, Goslin discloses generating parameter values as input to a graphical user interface (col. 4, lines 26-43, col. 6, line 48 to col. 7, line 25), and replacement values for invalid parameter values to meet design requirement (col. 8, lines 15-60).

3.5 As per claim 5, Goslin discloses a graphical user interface with feature limitations as claimed to allow user interactive with the design process (cols. 6-8).

3.6 As per claims 6 and 7, Goslin discloses generating replacement parameter values for the invalid parameters (col. 8, lines 15-60), and repeating such step for all parameters to meet design requirement.

3.9 As per claim 15, Goslin discloses graphic user interface and interactive means to allow user to key in design parameters selection, change, or set as claimed (col. 4, lines 26-43, col. 6, line 48 to col. 7, line 25).

3.10 As per claim 16, Goslin discloses design order in order to generating parameters for the design, and generating parameter values for the orderly hierarchy of the design process (col. 5, lines 23-65, col. 6, lines 1-18, for example). Kim teaches a method and system for randomly generating number values for design variables (parameters) by adding a randomness attribute to a variable to produce and assign random value for each random variable (Summary of the Invention, col. 5, lines 42-53, col. 10, line 48 to col. 11, line 44, col. 15, line 55 to col. 16, line 50, for example) to

Art Unit: 2128

handle the design synthesis, simulation, and optimize the task of design modeling for an efficient circuit implementation as taught in col. 2, lines 3-36, for example.

This would motivate practitioner in the art at the time of the invention was made to modify Goslin disclosure by incorporating randomness attribute to design variable to produce a random variable (parameter) values into the parametric macro functions in Goslin to handle the design synthesis, simulation and optimize the task of design modeling for an efficient circuit implementation.

3.11 As per claim 17, Goslin teaches design verification including performance a number of design simulation, accumulating of fail test data, recording parameters of the design simulation, etc. in order to verify the design performance.

3.12 As per claim 18, Goslin discloses a method and apparatus for design and verification of integrated circuit with feature limitations substantially similar to the claimed invention. According to Goslin, the hardware design and verification includes steps:

parameterizing circuit functional blocks or logic circuit cores to meet user' specific requirement (col. 3, line 17 to col. 5, line 40),

generating a netlist file or RTL model from the set of randomly generated parameter values and device under test or logic cores as claimed for verification of macro functions and logic cores in the design (col. 8, lines 15-60, col. 13, lines 30-49, for example),

and verifying or simulating circuit behavior with the netlist or RTL model as claimed.



Goslin also discloses parameter value spaces and range of parameter values as possible choice for broker (col. 9, lines 20-52). Such parameter values space and range of parameter values above for broker to choose above with no imposed restriction to choose from would imply the parameter values are randomly generated. Further, randomly generating parameter value is well known in the art. In fact, Kim teaches a method and system for randomly generating number values for design variables (parameter) by adding randomness attributes to the design variables to produce random values, and assign such random values for each random variable (Summary of the Invention, col. 5, lines 42-53, col. 10, line 48 to col. 11, line 44, col. 15, line 55 to col. 16, line 50, for example) to handle the design synthesis and simulation, and to optimize the task of design modeling for an efficient circuit implementation as taught in col. 2, lines 3-36, for example.

This would motivate practitioner in the art at the time of the invention was made to modify Goslin disclosure by incorporating randomness attribute to design variable to produce a random variable (parameter) values into the parametric macro functions in Goslin to handle the design simulation and synthesis, and to optimize the task of design modeling for an efficient circuit implementation.

3.13 As per claim 19, Goslin discloses a method and apparatus for design and verification of integrated circuit with feature limitations substantially similar to the claimed invention. According to Goslin, the hardware design and verification includes steps:

parameterizing circuit functional blocks or logic circuit cores to meet user' specific requirement (col. 3, line 17 to col. 5, line 40),

generating a netlist or RTL model from the set of randomly generated parameter values and device under test for verification (col. 13, lines 30-49, for example),

and verifying or simulating circuit behavior with the RTL model or net list as claimed. Goslin does not expressly disclose randomly generating a set of values for the logic core. Such claimed feature is however well known in the art. In fact, Kim teaches a method and system for randomly generating number values for design variables (parameters) by adding randomness attributes to the design variables to produce random value for each random variable (Summary of the Invention, col. 10, line 48 to col. 11, line 44, col. 15, line 55 to col. 16, line 50, for example) to handle the design synthesis and simulation, and to optimize the task of design modeling for an efficient circuit implementation as taught in col. 2, lines 3-36, for example.

This would motivate practitioner in the art at the time of the invention was made to modify Goslin disclosure by incorporating randomness attribute to design variable to produce a random variable (parameter) values into the parametric macro functions in Goslin to handle the design simulation and synthesis, and to optimize the task of design modeling and simulation for an efficient circuit implementation.

3.14 As per claim 20, Goslin discloses a method and apparatus for design and verification of integrated circuit with feature limitations substantially similar to the claimed invention. According to Goslin, the hardware design and verification includes steps:

parameterizing circuit functional blocks or logic circuit cores to meet user' specific requirement (col. 3, line 17 to col. 5, line 40),

generating a netlist or RTL model from the set of randomly generated parameter values and device under test for verification (col. 13, lines 30-49, for example),

and verifying or simulating circuit behavior with the RTL model or net list as claimed. Goslin does not expressly disclose randomly generating a set of values for the logic core. Such claimed feature is however well known in the art. In fact, Kim teaches a method and system for randomly generating number values for design variables (parameters) by adding randomness attributes to the design variables to produce random value for each random variable (Summary of the Invention, col. 10, line 48 to col. 11, line 44, col. 15, line 55 to col. 16, line 50, for example) to handle the design synthesis and simulation, and optimize the task of design modeling for an efficient circuit implementation as taught in col. 2, lines 3-36, for example.

This would motivate practitioner in the art at the time of the invention was made to modify Goslin disclosure by incorporating randomness attribute to design variable to produce a random variable (parameter) values into the parametric macro functions in Goslin to handle the design simulation and synthesis, and to optimize the task of design modeling and simulation for an efficient circuit implementation.

***Allowable Subject Matter***

Claims 8-14 would be allowable if rewritten to overcome the rejection(s) under 35 U.S.C. 112, second paragraph, set forth in this Office action and to include all of the limitations of the base claim and any intervening claims.

As per claims 8-14, the claims require steps of “cloning the set of parameter values”, and “mutating the sets of parameter values, whereby a mutated set of parameter values is produced” for random parameter value generation and simulating the circuit netlist as claimed. The closest prior art in the record does not show or suggest these features.

***Response to Arguments***

4. Applicant's arguments filed on 05/24/2004 have been fully considered but they are not persuasive.

In response to applicant's argument Goslin does not disclose generating parameter values and generating a netlist from the random parameter values (page 7, paragraph 1), the examiner disagrees with. Goslin discloses a method and system for generating optimized functional macros. The design method requires generating a set of parameter values and generating netlist file from the set of parameter value and logic cores (col. 8, lines 15-60). Goslin also discloses parameter value spaces and range of parameter values as possible choice for broker (col. 9, lines 20-52). Such parameter values space and range of parameter values above for broker to choose above with no restriction would imply the parameter values are randomly generated. Further,

Art Unit: 2128

randomly generating parameter value is well-known in the art. In fact, Kim teaches a method and system for randomly generating number values by adding a randomness attribute to a variable to produce random value for each random variable (Summary of the Invention, col. 10, line 48 to col. 11, line 44, col. 15, line 55 to col. 16, line 50, for example) to handle the design synthesis and optimize the task of design modeling for an efficient circuit implementation as taught in col. 2, lines 3-36, for example.

This would motivate practitioner in the art at the time of the invention was made to modify Goslin disclosure by incorporating randomness attribute to design variable to produce a random variable (parameter) values into the parametric macro functions in Goslin to handle the design synthesis and optimize the task of design modeling for an efficient circuit implementation.

In response to applicant's argument that there is no suggestion to combine the references, the examiner recognizes that obviousness can only be established by combining or modifying the teachings of the prior art to produce the claimed invention where there is some teaching, suggestion, or motivation to do so found either in the references themselves or in the knowledge generally available to one of ordinary skill in the art. See *In re Fine*, 837 F.2d 1071, 5 USPQ2d 1596 (Fed. Cir. 1988) and *In re Jones*, 958 F.2d 347, 21 USPQ2d 1941 (Fed. Cir. 1992). In this case, Kim teaches a method and system for randomly generating number values for a design variable (parameter) by adding a randomness attribute to the design variables to produce random value for each variable (Summary of the Invention, col. 10, line 48 to col. 11, line 44, col. 15, line 55 to col. 16, line 50, for example) to handle the design synthesis

Art Unit: 2128

and optimize the task of design modeling and circuit simulation for an efficient circuit implementation as taught in col. 2, lines 3-36, for example.

This would motivate practitioner in the art at the time of the invention was made to modify Goslin disclosure by incorporating randomness attribute to design variable to produce a random variable (parameter) values into the parametric macro functions in Goslin to handle the design synthesis, simulation, and optimize the task of design modeling for an efficient circuit implementation.

5. Response to Interview Summary:

Acknowledgement has been made for the correction in the Interview Summary. Mr. LeRoy Maunu, represented for the undersigned Mr. Lois Cartier, was the participant in the interview on Dec. 2003.

***Conclusion***

6. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of

Art Unit: 2128

the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Thai Q. Phan whose telephone number is 703-305-3812. The examiner can normally be reached on Monday-Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jean Homere can be reached on 703-308-6647. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

8. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Aug. 28, 2004



Thai Phan  
Patent Examiner  
Art Unit: 2128